

L Number	Hits	Search Text	DB	Time stamp
1	4594941	architectural handicapped design plans (model or figure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:43
2	4596969	architectural handicapped design plans (model or figure) turning adj radius	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:44
3	0	architectural and handicapped and design with plans and (model or figure) and turning adj radius	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:44
4	0	architectural and handicapped and design and plans and (model or figure) and turning adj radius	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:44
5	15225	architect\$5 and (handicapp\$3 or disable\$3) and (model or figure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:45
6	0	architect\$5 and (handicapp\$3 or disable\$3) and (model or figure) and raduis	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:45
7	1130	architect\$5 and (handicapp\$3 or disable\$3) and (model or figure) and radius	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:45
8	66	architect\$5 and (handicapp\$3 or disable\$3) same (model or figure) and radius	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:46
9	101	architect\$5 and (handicapp\$3 or disable\$3) same (model or figure) not computer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:47
10	59	architect\$5 and (handicapp\$3 or disable\$3) same (model or figure) not (computer\$1 or network\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:47
11	6	architect\$5 and (handicapp\$3 or disable\$3) same (model or figure) not (computer\$1 or network\$1 or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/08 10:47
-	30	DUNCAN-S DUNCAN-SAMUEL-E DUNCAN-SAMUEL-EVANS DUNCAN-SAMUEL-G DUNCAN-SAMUEL-H DUNCAN-SAMUEL-HAMMOND	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 09:12

-	330	(434/365).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/10 12:59
-	675	((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 09:55
-	100	(33/1g).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/10 16:03
-	1218	((33/562) or (33/613)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/10 16:03
-	1978	((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:18
-	15	((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.) and (handicap\$5 or wheelchair\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/10 16:06
-	2009	((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:18
-	5653	((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.) ) and "snap-lock" or snap adj lock\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:18
-	6	((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.) ) and ("snap-lock" or snap adj lock\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:40
-	1	((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.) ) and ("icon figure" and diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:41
-	13	((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.) ) and ("icon" and diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:44
-	0	((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.) ) and (doll and base and diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:46

-	0	((((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.)) and (figurine and base and diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:46
-	0	((((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.)) and (figurine and diameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:46
-	2	((((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.)) and (figurine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:47
-	175	((((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.)) and (dummy or model)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:48
-	96	((((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.)) and (dummy or model) and (base or stand)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:48
-	30	((((33/1g).CCLS.) or (((33/562) or (33/613)).CCLS.) or (((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365)).CCLS.)) and (dummy or model) and (base or stand) and diameter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/13 10:49
-	2088	((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365) or (33/1G) or (33/562) or (33/613)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 09:55
-	56	((((434/72) or (434/73) or (434/74) or (434/75) or (434/76) or (434/77) or (434/78) or (434/79) or (434/80) or (434/365) or (33/1G) or (33/562) or (33/613)).CCLS.) and @ad>=19990601<=20000614	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:13
-	623	(wheelchair or "support device") and (floorplan\$1 or "design plan" or layout\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:21
-	168	(wheelchair) and (floorplan\$1 or "design plan" or layout\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:27
-	457	("support device") and (floorplan\$1 or layout\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:21
-	2	(wheelchair\$1) and (floorplan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:27

-	20	(wheelchair\$1) and (floor\$1 same layout\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:31
-	136	(wheelchair\$1) and (design same (layout\$1 or plan\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:36
-	178	(wheelchair\$1) same (model\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:37
-	102	(wheelchair\$1) with (model\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:37
-	56	(wheelchair\$1) near3 (model\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:40
-	16	(wheelchair\$1) near3 (symbol\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/10 10:40
-	747	wheelchair\$1 and (scale\$2 or scali\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/25 16:18
-	143	wheelchair\$1 and (scale\$2 or scali\$4) and (icon\$1 or representation\$1 or symbol\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/25 16:19
-	21	handicapped and symbol and parking	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 11:30
-	98	((33/781) or (33/782)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 09:13
-	9	handicapped and symbol and parking and print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 12:25
-	13	handicapped near2 parking and print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 12:28

-	2	handicapped near2 symbol and print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 12:29
-	2	handicapped near2 symbo\$21 and print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 12:29
-	2	handicapped near2 symbol\$2 and print\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 12:32
-	17	handicapped near2 symbol\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/08 12:35


[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)
 
[Web](#) - [Images](#) - [Groups](#) - [Directory](#) - [News](#)

 Searched the web for **architectural handicapped plans model "turning radius"**. Results **1 - 10** of about **135**. See

[Researching Turning Technologies for Machining Applications?](#)  
[www.mmsonline.com](#) Solutions for the Modern Machining Professional.

Sponsored Link

### 1994 VR Conference Proceedings

... we can enrich the dynamic **model** to allow ... the interaction between the different **handicapped**-accessible elements ... to traditional 2D **architectural plans**, which are ...  
[www.csun.edu/cod/conf/1994/proceedings/Dwpa~1.htm](#) - 27k - [Cached](#) - [Similar pages](#)

### Sponsored Links

[Search 13,700 House Plans](#)  
 From 90 of the premiere designers Register and receive free CD-ROM  
[www.dreamhomesource.com](#)  
 Interest: [xxxxxxxx](#)

### Cheap Tricks Ware Templates (Cheapware)

... Both Standard & ADA **Handicapped** mounting heights for grab ... trees that work well with **architectural** models without ... templates, one with 2D truck plans (straight & ...  
[world.std.com/~eshu/ctw/ctwt.htm](#) - 53k - [Cached](#) - [Similar pages](#)

[Over 20,000 House Plans](#)  
 Free plans ranging from Classic to Modern, and everything in-between.  
[www.AreaPlans.com](#)  
 Interest: [xxxxxxxx](#)

### Access New England Newsletter

... Disability News Service, Inc., "State **Plans** Key to ... Design and the Massachusetts'  
**Architectural** Access Board ... for the Blind and Physically **Handicapped** (NLS)  
 A ...  
[www.adaptenv.org/newsletter/spring00.php](#) - 54k - Oct 6, 2003 - [Cached](#) - [Similar pages](#)

[House of Ascot](#)  
 Architectural models and bookends by Timothy Richards  
[www.houseofascot.com](#)  
 Interest: [xxxxxxxx](#)

### Employment Topics

... A person may make **plans** for one minute and decide to ... and creating the National Commission on **Architectural** Barriers to Rehabilitation of the **Handicapped**. ...  
[pediatrics.med.miami.edu/mailman/employment2.htm](#) - 93k - [Cached](#) - [Similar pages](#)

[Thousands of House Plans](#)  
 Choose from over 6,000 House Plans with a 110% low price guarantee.  
[www.amazingplans.com](#)  
 Interest: [xxxxxxxx](#)

### Final Report

... grab bars, **handicapped**, bathtub transfer. ... In addition, supporting documentation of **architectural** and product ... The **plans** reviewed offered little insight as to ...  
[www.access-board.gov/research&training/ Toilet-Bath/report.htm](#) - 72k - [Cached](#) - [Similar pages](#)

[Handicapped Products](#)  
 quality reviews and information Free Shipping at EnableMart  
[www.enablemart.com](#)  
 Interest: [xxxxxxxx](#)

[Machine Shop Training DVD](#)  
 Video Speeds Setup Time. Reduces downtime, scrap and rework.  
[kulaenterprises.com](#)  
 Interest: [xxxxxxxx](#)

### [PDF] TITLE 7 - DEPARTMENT OF ADMINISTRATIVE SERVICES - BUILDING ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... in buildings made inaccessible by **architectural** barriers. ... be utilized by the visually **handicapped** (ie reception ... include the following items: (a) **Plans** of the ...  
[www.sos.state.ne.us/Rules/t7.pdf](#) - [Similar pages](#)

[Scale Models Unlimited](#)  
 Museum, Architectural, Engineering & Trade Show Models since 1962.  
[www.smu.com](#)  
 Interest: [xxxxxxxx](#)

### [PDF] PLANNING BOARD CITY OF SARATOGA SPRINGS

[3-DR Models](#)  
 Quick, accurate, conceptual models with our 3-DR architectural models  
[www.3d-printers.com](#)

WEDNESDAY, APRIL 30, 2003 ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... of the City Engineer after the final **plans** are approved ... sign was on private property,

**architectural** review would ... All **handicapped** parking should be on the ground ...

[www.saratoga-springs.org/pbm043003.pdf](http://www.saratoga-springs.org/pbm043003.pdf) - [Similar pages](#)

Interest: 

[See your message here...](#)

[PDF] [H:\DEVSVCS\PC Minutes Archive\MINUTES 2001\091201MIN.wpd](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... and Council Chambers are accessible to **handicapped** persons. ... the south elevation feature more **architectural** features. ... 6. Landscape and irrigation **plans** shall be ...

[www.ci.north-las-vegas.nv.us/.../PDFs/PlanningCommission/PCMinutesArchive/2001/PCMinutes091201.pdf](http://www.ci.north-las-vegas.nv.us/.../PDFs/PlanningCommission/PCMinutesArchive/2001/PCMinutes091201.pdf) - [Similar pages](#)

[PDF] [CITY OF INDIO](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... lot referred to, does not have **handicapped** parking nor ... **Plans** must be submitted with current permit fee to the ... box (Minimum Knox Box 3200 series **model**) shall be ...

[indio.org/acrobat/MinPC072303.pdf](http://indio.org/acrobat/MinPC072303.pdf) - [Similar pages](#)

[PC Minutes June 26, 2002 -- City of Fullerton, CA](#)

... was presented to consider site and **architectural plans** for a ... and noise was addressed with **plans** to build ... concern over the lack of **handicapped** parking spaces; ...

[www.ci.fullerton.ca.us/dev\\_serv/pc/pcmin020626.html](http://www.ci.fullerton.ca.us/dev_serv/pc/pcmin020626.html) - 71k - [Cached](#) - [Similar pages](#)


Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

[architectural handicapped plans m](#) [Google Search](#) [Search within results](#)

Dissatisfied with your search results? [Help us improve.](#)

Get the [Google Toolbar](#):



[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs, Press, & Help](#)

©2003 Google